

1.

2.




KVL

VCR

KCL

§ 6 1



(1)





2 30kV




()

(2)





(3)




0.1-1000F








(4)



(5)




1.



2.

u q u


q




q

$$q = C u$$

u



F()



C

μF

pF



3.

$C \quad i \quad u$

$$i = \frac{dq}{dt} = \frac{d(Cu)}{dt} \quad C$$

$$i = C \frac{du}{dt}$$

i

u

u

u

()


$i = 0$

“

”

i

u



$$i = \frac{dq}{dt} \quad q(t) = \int_{t_0}^t i(\xi) d\xi = \int_{t_0}^t i(\xi) d\xi + \int_{t_0}^t i(\xi) d\xi$$

$$q(t) = q(t_0) + \int_{t_0}^t i(\xi) d\xi$$

$$q = C u \quad u(t) = u(t_0) + \frac{1}{C} \int_{t_0}^t i(\xi) d\xi$$

—∞

$$t_0 \quad i \quad t_0 \quad u(t_0) \quad t_0$$

u i


u(t₀)



3. /

u i

$$p = ui = u C \frac{du}{dt}$$



(2)

☞ t -

$$w_c = \int_{-}^t C u(\xi) \frac{du(\xi)}{dt} dt$$



$$\underline{\underline{w_c = \frac{1}{2} C u^2(t) - \frac{1}{2} C u^2(-)}}}$$

0

t_1 t_2

$$W_c = \frac{1}{2} C u^2(t_2) - \frac{1}{2} C u^2(t_1) = W_c(t_2) - W_c(t_1)$$

$$w_c = \frac{1}{2} C u^2(t) \quad 0$$



$$q = Cu$$

$$i = C \frac{du}{dt} \quad u = \frac{1}{C} \int_{-}^t i dt \quad (\quad)$$

$$1 \text{ F} = 10^6 \mu\text{F} = 10^{12} \text{pF}$$




$$w_c(t) = \frac{1}{2} Cu^2(t)$$

$$u_S(t) = \begin{cases} 0 & t & 0 \\ 2t & 0 & t & 1s \\ -2t+4 & 1 & t & 2s \\ 0 & t & 2s \end{cases}$$

$$i(t) = C \frac{du_S}{dt} = \begin{cases} 0 & t & 0 \\ 1 & 0 & t & 1s \\ -1 & 1 & t & 2s \\ 0 & t & 2s \end{cases}$$

$$p(t) = u_S(t) i(t) \quad w(t) = \frac{1}{2} C u_S^2(t)$$




i $p(t)$ $w(t)$





$$u_S(t) = \begin{cases} 0 & t & 0 \\ 2t & 0 & t & 1s \\ -2t+4 & 1 & t & 2s \\ 0 & t & 2s \end{cases}$$

$$i(t) = \begin{cases} 0 & t & 0 \\ 1 & 0 & t & 1s \\ -1 & 1 & t & 2s \\ 0 & t & 2s \end{cases}$$


$$p(t) = u_S(t)i(t) = \begin{cases} 0 & t & 0 \\ 2t & 0 & t & 1s \\ 2t-4 & 1 & t & 2s \\ 0 & t & 2s \end{cases}$$



$$u_S(t) = \begin{cases} 0 & t < 0 \\ 2t & 0 \leq t < 1 \\ -2t+4 & 1 \leq t < 2 \\ 0 & t \geq 2 \end{cases}$$



$$w(t) = \frac{1}{2} C u_S^2(t) = \begin{cases} 0 & t < 0 \\ t^2 & 0 \leq t < 1 \\ (2-t)^2 & 1 \leq t < 2 \\ 0 & t \geq 2 \end{cases}$$



§ 6 2





Φ_L N

$$\Psi_L = N \Phi_L$$

Φ_L Ψ_L

Ψ_L i






$u \quad \Psi_L$


$$u = \frac{d\Psi_L}{dt}$$



(1)





(2)



()

(3)



1.

ψ i

2.


ψ

i
 $\psi \sim i$

(1)

L

$$\psi(t) = L i(t)$$



(2)

$$\psi(t) = L i(t)$$

Ψ

Wb

i

A

L



H

μH

mH

$$1\text{H} = 10^3\text{mH} = 10^6\mu\text{H}$$

(3)




L

3.

i u

i Ψ_L



$$\Psi_L = Li \quad u = \frac{d\Psi_L}{dt} \longrightarrow u = L \frac{di}{dt} \quad \text{VCR}$$

u

i

i

i


()

$u=0$

u


i

$$i = \frac{1}{L} \int_{-\infty}^t u \, d\xi = \frac{1}{L} \int_{-\infty}^{t_0} u \, d\xi + \frac{1}{L} \int_{t_0}^t u \, d\xi$$



$$i = i(t_0) + \frac{1}{L} \int_{t_0}^t u \, d\xi$$

$-\infty$



$$i = i(t_0) + \frac{1}{L} \int_{t_0}^t u \, d\xi \quad L$$

$$\Psi_L = \Psi_L(t_0) + \int_{t_0}^t u \, d\xi$$

$u \quad i$

$$u = -L \frac{di}{dt} \quad i = i(t_0) - \frac{1}{L} \int_{t_0}^t u \, d\xi$$

$i(t_0)$


4.

(1)

$$p = ui = L \frac{di}{dt} i$$

$$p = 0$$

$$p = 0$$



(2)

$-\infty \sim t$

$$w_L = \int_{-\infty}^t L i(\xi) \frac{di(\xi)}{dt} dt = L \int_{i(-\infty)}^{i(t)} i(\xi) di(\xi)$$

$$w_L = \frac{1}{2} Li^2(t) - \frac{1}{2} Li^2(-\infty)$$

$$t = -\infty \quad i(-\infty) = 0$$

$$w_L = \frac{1}{2} Li^2(t)$$

$$W_L = \frac{1}{2} Li^2(t_2) - \frac{1}{2} Li^2(t_1) = W_L(t_2) - W_L(t_1)$$

$$|i| \quad W_L \quad 0$$

$$|i| \quad W_L \quad 0$$



$$\Psi_L = f(i)$$

$$i = h(\Psi_L)$$



L

$$\Psi_L = Li$$





$$u = L \frac{di}{dt} \quad i = \frac{1}{L} \int^t u \, dt$$

$$1 \text{ H} = 10^3 \text{ mH} = 10^6 \mu\text{H}$$




$$w_L(t) = \frac{1}{2} Li^2(t)$$



1.



2.



6-4 $L=4\text{H}$ $i(0)=0$

$t=2\text{s}$ $t=3\text{s}$ $t=4\text{s}$



VCR

$$i = i(t_0) + \frac{1}{L} \int_{t_0}^t u \, d\xi$$

$$u(t) = \begin{cases} 10\text{V} & 2\text{s} & t & 0 \\ 0 & 3\text{s} & t & 2\text{s} \\ 10t-40 & 4\text{s} & t & 3\text{s} \end{cases}$$

$t=1\text{s}$

$$i(1) = 0 + \frac{1}{4} \int_0^1 10 \, dt = \frac{10}{4} t \Big|_0^1 = [2.5(1-0)] = 2.5\text{A}$$



$$i(1) = 2.5\text{A}$$

$$t=2\text{s}$$

$$i(2) = 0 + \frac{1}{4} \int_0^2 10 dt = \frac{10}{4} t \Big|_0^2 = [2.5(2-0)] = 5\text{A}$$



$$i(2) = 2.5 + \frac{1}{4} \int_1^2 10 dt = 5\text{A}$$

$$t=3\text{s}$$

$$i(3) = 5 + \frac{1}{4} \int_1^3 0 dt = 5\text{A}$$

$$t=4\text{s}$$

$$i(4) = 5 + \frac{1}{4} \int_3^4 (10t-40) dt = 5 + \frac{1}{4} (5t^2-40t) \Big|_3^4 = 3.75\text{A}$$



§ 6 3

1.

(1)

$$u_1 = u_1(t_0) + \frac{1}{C_1} \int_{t_0}^t i(\xi) d\xi$$

$$u_2 = u_2(t_0) + \frac{1}{C_2} \int_{t_0}^t i(\xi) d\xi$$



$$u = u_1 + u_2 = u_1(t_0) + u_2(t_0) + \left(\frac{1}{C_1} + \frac{1}{C_2} \right) \int_{t_0}^t i(\xi) d\xi$$

$$= u(t_0) + \frac{1}{C} \int_{t_0}^t i(\xi) d\xi$$

$$u(t_0) = u_1(t_0) + u_2(t_0)$$

VCR KVL

$$\frac{1}{C} = \frac{1}{C_1} + \frac{1}{C_2}$$





n

$$\frac{1}{C_{\text{eq}}} = \frac{1}{C_1} + \frac{1}{C_2} + \dots + \frac{1}{C_n}$$

$$u(t_0) = u_1(t_0) + u_2(t) + \dots + u_n(t_0)$$

()

$$u(t_0) = 0$$



(2)


$$u_1 = \frac{1}{C_1} \int_0^t i(\xi) d\xi \dots\dots$$

$$u_2 = \frac{1}{C_2} \int_0^t i(\xi) d\xi \dots\dots$$

$$u = \frac{1}{C} \int_0^t i(\xi) d\xi \dots\dots$$

$$\div \quad \frac{u_1}{u} = \frac{C}{C_1} \quad \longrightarrow \quad u_1 = \frac{C}{C_1} u = \frac{C_2}{C_1 + C_2} u$$


$$u_2 = \frac{C}{C_2} u = \frac{C_1}{C_1 + C_2} u$$





$$C = \frac{C_1 C_2}{C_1 + C_2}$$

2.

$$i_1 = C_1 \frac{du}{dt}$$



(3) n





VCR

$$u(t_0) = u_1(t_0) = u_2(t_0) = \dots = u_n(t_0)$$

$$C_{eq} = C_1 + C_2 + \dots + C_n$$

3.




(1) $i(t_0) = i_1(t_0)$

\hat{E}

VCR

4.



$$\frac{1}{L_1} + \frac{1}{L_2} + \dots + \frac{1}{L_n}$$

(2)

$$i(t_0) = i_1(t_0) + i_2(t) + \dots + i_n(t_0)$$

